=> IFW: Scan as Doc Code: SRNT <= Doc Date:

TC 3700 Inventor Search Program

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

Serial Number: 10788700

1.) See <u>attached</u> printout of inventors listed in PALM

2.) See <u>attached</u> EAST Inventor Search Printout shows Inventor search terms

US 20060035464 A1	US- PGPUB	20060216	16	Method of planarizing a semiconductor substrate	438/690	438/745	Sreenivasan; Sidlgata V.
US 20060005657 A1	US- PGPUB	20060112	17	Method and system to control movement of a body for nanoscale manufacturing	74/490.07		Choi; Byung-Jin et al.
US 20060001857 A1	US- PGPUB	20060105		Apparatus to vary dimensions of a substrate during nanoscale manufacturing	355/72		Cherala; Anshuman et al.
US 20060001194 A1	US- PGPUB	20060105		System for varying dimensions of a substrate during nanoscale manufacturing	264/320		Cherala; Anshuman et al.
US 20050275311 A1	US- PGPUB	20051215		Compliant device for nanoscale manufacturing	310/323.05		Choi, Byung-Jin et al.
US 20050275251 A1	US- PGPUB	20051215		Compliant device for nano-scale manufacturing	297/40		Choi, Byung-Jin et al.
US 20050274219 A1	US- PGPUB	20051215		Method and system to control movement of a body for nanoscale manufacturing	74/490.07		Choi, Byung-Jin et al.
US 20050271955 A1	US- PGPUB	20051208		System and method for improvement of alignment and overlay for microlithography	430/22		Cherala, Anshuman et al.
US 20050270516 A1	US- PGPUB	20051208		System for magnification and distortion correction during	355/72		Cherala, Anshuman et al.

,

•

			nano-scale manufacturing			
US 20050270312 A1	US- PGPUB	20051208	Fluid dispensing and drop-on-demand dispensing for nano-scale manufacturing	347/1		Lad, Pankaj B. et al.
US 20050269745 A1	US- PGPUB	20051208	Method of varying dimensions of a substrate during nano-scale manufacturing	264/320		Cherala, Anshuman et al.
US 20050266587 A1	US- PGPUB	20051201	Substrate support method	438/5	438/458	Nimmakayala, Pawan Kumar et al.
US 20050264134 A1	US- PGPUB	20051201	Adaptive shape substrate support system	310/311		GanapathiSubramanian, Mahadevan et al.
US 20050264132 A1	US- PGPUB	20051201	Apparatus to control displacement of a body spacedapart from a surface	310/311		Choi, Byung Jin et al.
US 20050263249 A1	US- PGPUB	20051201	Substrate support system	156/345.51		Nimmakayala, Pawan Kumar et al.
US 20050263077 A1	US- PGPUB	20051201	Adaptive shape substrate support method	118/728		GanapathiSubramanian, Mahadevan et al.
US 20050260848 A1	US- PGPUB	20051124	Method of forming a recessed structure employing a reverse tone process	438/637		Sreenivasan, Sidlgata V.
US 20050260295 A1	US- PGPUB	20051124	Remote center compliant flexure device	425/149	425/408	Choi, Byung-Jin et al.
US 20050253307 A1	US- PGPUB	20051117	Method of patterning a conductive layer on a substrate	264/494	264/104; 264/105; 264/236; 264/293;	Sreenivasan, Sidlgata V.

.

					264/310	
US 20050236360 A1	US- PGPUB	20051027	Compliant hard template for UV imprinting	216/41		Watts, Michael P.C. et al.
US 20050189676 A1	US- PGPUB	20050901	Full-wafer or large area imprinting with multiple separated subfields for high throughput lithography	264/225		Sreenivasan, Sidlgata V.
US 20050185169 A1	US- PGPUB	20050825	Method and system to measure characteristics of a film disposed on a substrate	356/237.1	356/399; 356/625	McMackin, Ian M. et al.
US 20050160011 A1	US- PGPUB	20050721	Method for concurrently employing differing materials to form a layer on a substrate	705/26		Sreenivasan, Sidlgata V. et al.
US 20050106321 A1	US- PGPUB	20050519	Dispense geometery to achieve high- speed filling and throughput	427/258	427/421.1; 427/532	McMackin, Ian M. et al.
US 20050098534 A1	US- PGPUB	20050512	Formation of conductive templates employing indium tin oxide	216/52	216/44; 430/275.1; 430/277.1	Sreenivasan, Sidlgata V. et al.
US 20050089774 A1	US- PGPUB	20050428	METHOD TO CONTROL THE RELATIVE POSITION BETWEEN A BODY AND A SURFACE	430/22	355/18; 355/72; 396/428; 430/30	Choi, Byung Jin et al.
US 20050082253 A1	US- PGPUB	20050421	Applying imprinting material to substrates	216/44		Cherala, Anshuman et al.

			employing electromagnetic fields			
US 20050067379 A1	US- PGPUB	20050331	Imprint lithography template having opaque alignment marks	216/44		Sreenivasan, Sidlgata V. et al.
US 20050064344 A1	US- PGPUB	20050324	Imprint lithography templates having alignment marks	430/320	101/3.1; 430/323	Bailey, Todd C. et al.
US 20050061773 A1	US- PGPUB	20050324	Capillary imprinting technique	216/44		Choi, Byung-Jin et al.
US 20050051698 A1	US- PGPUB	20050310	Conforming template for patterning liquids disposed on substrates	249/135		Sreenivasan, Sidlgata V. et al.
US 20050028618 A1	US- PGPUB	20050210	System for determining characteristics of substrates employing fluid geometries	73/865.9	425/169	Chol, Byung J. et al.
US 20050006343 A1	US- PGPUB	20050113	Systems for magnification and distortion correction for imprint lithography processes	216/59		Choi, Byung Jin et al.
US 20040251775 A1	US- PGPUB	20041216	Apparatus to control displacement of a body spacedapart from a surface	310/311		Choi, Byung-Jin et al.
US 20040241324 A1	US- PGPUB	20041202	System for dispensing liquids	427/258		Watts, Michael P.C. et al.
US 20040223883 A1	US- PGPUB	20041111	System for determining characteristics of substrates	73/865.8	422/82.05; 702/108	Choi, Byung J. et al.

.

.

			employing fluid geometries			
US 20040223131 A1	US- PGPUB	20041111	Chucking system for modulating shapes of substrates	355/72	310/10; 310/12; 355/53; 378/34; 378/35	Choi, Byung J. et al.
US 20040211754 A1	US- PGPUB	20041028	Method of forming stepped structures employing imprint lithography	216/41		Sreenivasan, Sidlgata V.
US 20040200411 A1	US- PGPUB	20041014	Apparatus for fabricating nanoscale patterns in light curable compositions using an electric field	118/500	118/503	Willson, Carlton Grant et al.
US 20040188381 A1	US- PGPUB	20040930	Positive tone bi- layer imprint lithography method	216/40		Sreenivasan, Sidlgata V.
US 20040169441 A1	US- PGPUB	20040902	Apparatus to orientate a body with respect to a surface	310/328		Choi, Byung Jin et al.
US 20040168588 A1	US- PGPUB	20040902	Method of orientating a template with respect to a substrate in response to a force exerted on the template	101/150		Choi, Byung Jin et al.
US 20040149687 A1	US- PGPUB	20040805	Method of manufacturing a vacuum chuck used in imprint lithography	216/40		Choi, Byung Jin et al.
US 20040146792 A1	US- PGPUB	20040729	Magnification correction employing out-of-plane	430/22	264/293; 264/320; 264/339; 430/20;	Nimmakayala, Pawan K. et al.

-			distortion of a substrate		430/322	
US 20040124566 A1	US- PGPUB	20040701	Step and repeat imprint lithography processes	264/494		Sreenivasan, Sidlgata V. et al.
US 20040112861 A1	US- PGPUB	20040617	Method for modulating shapes of substrates	216/66		Choi, Byung J. et al.
US 20040112153 A1	US- PGPUB	20040617	Method and system for determining characteristics of substrates employing fluid geometries	73/865.9		Choi, Byung J. et al.
US 20040104641 A1	US- PGPUB	20040603	Method of separating a template from a substrate during imprint lithography	310/328		Choi, Byung Jin et al.
US 20040090611 A1	US- PGPUB	20040513	Chucking system for modulating shapes of substrates	355/75	355/53; 355/72	Choi, Byung J. et al.
US 20040065976 A1	US- PGPUB	20040408	Method and a mold to arrange features on a substrate to replicate features having minimal dimensional variability	264/171.1	425/174; 425/175	Sreenivasan, Sidlgata V. et al.
US 20040065252 A1	US- PGPUB	20040408	Method of forming a layer on a substrate to facilitate fabrication of metrology standards	117/84		Sreenivasan, Sidlgata V. et al.
US 20040038552 A1	US- PGPUB	20040226	METHOD FOR FABRICATING BULBOUS- SHAPED VIAS	438/759	257/E21.025; 257/E21.259; 257/E21.578	

US 20040022888 A1	US- PGPUB	20040205	Alignment systems for imprint lithography	425/174.4	425/810	Sreenivasan, Sidlgata V. et al.
US 20040021254 A1	US- PGPUB	20040205	Alignment methods for imprint lithography	264/406	264/447; 264/496; 430/22	Sreenivasan, Sidlgata V. et al.
US 20040010341 A1	US- PGPUB	20040115	System and method for dispensing liquids	700/240		Watts, Michael P.C. et al.
US 20040009673 A1	US- PGPUB	20040115	Method and system for imprint lithography using an electric field	438/694	257/E21.024	Sreenivasan, Sidlgata V. et al.
US 20040008334 A1	US- PGPUB	20040115	Step and repeat imprint lithography systems	355/72	355/53; 355/67; 355/75	Sreenivasan, Sidlgata V. et al.
US 20040007799 A1	US- PGPUB	20040115	Formation of discontinuous films during an imprint lithography process	264/494		Choi, Byung Jin et al.
US 20030215577 A1	US- PGPUB	20031120	Method and system for fabricating nanoscale patterns in light curable compositions using an electric field	427/458	118/500; 118/503	Willson, Carlton Grant et al.
US 6990870 B2	USPAT	20060131	System for determining characteristics of substrates employing fluid geometries	73/865.9		Choi; Byung J. et al.
US 6986975 B2	USPAT	20060117	Method of aligning a template with a	430/22	430/30	Sreenivasan; Sidlgata V. et al.

			substrate employing moire patterns			
US 6982783 B2	USPAT	20060103	Chucking system for modulating shapes of substrates	355/72	355/53	Choi; Byung J. et al.
US 6980282 B2	USPAT	20051227	Method for modulating shapes of substrates	355/72	355/73; 355/75; 438/692	Choi; Byung J. et al.
US 6964793 B2	USPAT	20051115	Method for fabricating nanoscale patterns in light curable compositions using an electric field	427/466	427/256; 427/385.5; 427/595	Willson; Carlton Grant et al.
US 6955868 B2	USPAT	20051018	Method to control the relative position between a body and a surface	430/22	355/72; 396/428; 430/30	Choi; Byung Jin et al.
US 6932934 B2	USPAT	20050823	Formation of discontinuous films during an imprint lithography process	264/496	216/11; 216/52; 264/259; 264/293; 264/338; 264/40.1	Choi; Byung Jin et al.
US 6926929 B2	USPAT	20050809	System and method for dispensing liquids	427/256		Watts; Michael P. C. et al.
US 6922906 B2	USPAT	20050802	Apparatus to orientate a body with respect to a surface	33/613	33/644	Choi; Byung Jin et al.
US 6921615 B2	USPAT	20050726	High-resolution overlay alignment methods for imprint lithography	430/22	430/30; 430/322	Sreenivasan; Sidlgata V. et al.
US 6916585 B2	USPAT	20050712	Method of varying template	430/22	430/30; 430/322	Sreenivasan; Sidlgata V. et al.

			dimensions to achieve alignment during imprint lithography			
US 6916584 B2	USPAT	20050712	Alignment methods for imprint lithography	430/22	264/494; 264/496; 430/302; 430/322	Sreenivasan; Sidlgata V et al.
US 6908861 B2	USPAT	20050621	Method for imprint lithography using an electric field	438/694	257/E21.024; 438/708; 438/709; 438/714; 438/718; 438/725	Sreenivasan; Sidlgata V. et al.
US 6902853 B2	USPAT	20050607	Dual wavelength method of determining a relative position of a substrate and a template	430/22	356/399; 356/400; 356/401; 430/30	Sreenivasan; Sidlgata V. et al.
US 6900881 B2	USPAT	20050531	Step and repeat imprint lithography systems	355/72	355/78; 355/87	Sreenivasan; Sidlgata V. et al.
US 6873087 B1	USPAT	20050329	High precision orientation alignment and gap control stages for imprint lithography processes	310/323.17	310/328	Choi; Byung Jin et al.
US 6871558 B2	USPAT	20050329	Method for determining characteristics of substrate employing fluid geometries	73/865.8		Choi; Byung J. et al.
US 6870301 B2	USPAT	20050322	Method of separating a template from a substrate during imprint lithography	310/311	101/463.1; 430/320	Choi; Byung Jin et al.
US 6842229	USPAT	20050111	Imprint	355/75	355/72	Sreenivasan; Sidlgata

~

B2	lithography	V. et al.
	template	
	comprising	
	alignment marks	